

# HERBICIDE RECOMMENDATIONS

## RANGELANDS, RIGHT-OF-WAYS, & NON-CROP AREAS

PREVALENT STATE AND COUNTY LISTED WEEDS FOUND IN YELLOWSTONE COUNTY

### GENERAL NOTES








- \* **TORDON IS A RESTRICTED USE HERBICIDE (R)**
- \* **YOU MUST BE LICENSED TO PURCHASE AND APPLY THIS HERBICIDE**
- \* HERBICIDES PERFORM BETTER WHEN USED WITH A SURFACTANT













- \* NOXIOUS WEEDS MUST BE TREATED FOR A MINIMUM OF 3 CONSECUTIVE YEARS
- \* ALL HERBICIDE TRADE NAMES ARE TRADEMARKS OF THEIR RESPECTIVE MANUFACTURERS
- \* THESE ARE ONLY RECOMMENDATIONS

**ALWAYS READ AND FOLLOW THE LABEL!!**

YELLOWSTONE COUNTY  
WEED DISTRICT  
3319 KING AVENUE EAST  
BILLINGS, MT 59101  
**406-256-2708**

	NOXIOUS WEED	FORMULATED HERBICIDE	BROADCAST RATE/ACRE	3 GALLON BACKPACK	200 GAL/10 ACRES	TIME OF APPLICATION
	CANADA THISTLE	E2	3 pt/ac	1 oz /1 gal	30 pt/ 10 ac	Preferably before flowering, mid to late spring.
		Escort	.75-1 oz/ac	1.5 g/3 gal	7.5-10 oz /10 ac	
		GrazonNext HL	24-34 oz/ac	SEE LABEL	240-340 oz/ 10 ac	
		Milestone	5-7 oz/ac	.5 oz/ 3 gal	50-70 oz/10 ac	
		Telar XP	1-2.6 oz/ac	2 g/3 gal	10-26 oz/10 ac	
		Venue	4 ounces per acre	.4 ounces per 3 gallons	40 ounces/10 acres	
	COMMON MULLEIN	E2	4 pt/ac	1 oz /1 gal	40 pt/10 ac	Mid to late spring. Preferably before flowering.
		Opensight	2-3.3 oz/ac	NOT APPLICABLE	20-33 oz/10 ac	
		Tordon 22K (R)	1-1.5 pt/ac	1 oz/3 gal	10-15 pt/ac	
	COMMON TANSY	Escort	1 oz/ac	1.5 g/3 gal	10 oz/10 ac	Apply when Actively growing.
		Tordon (R) + 2,4-D Amine	1 pt Tordon +1 qt 2,4-D/ac	1 oz Tordon + 2.25 oz 2,4-D/3 gal	10 pt Tordon + 10 qt 2,4-D/10 ac	
	COMMON TEASEL	2,4-D	32 oz/ac	3-4 oz/1 gal	320 oz/10 ac	Apply during the rosette stage in the fall.
		Garlon 3 A	3-4 pt/ac	NOT APPLICABLE	30-40 pt/10 ac	
		Opensight	2-3 oz/ac	NOT APPLICABLE	0-30 oz/10 ac	
		Overdrive	4-8 oz/ac	NOT APPLICABLE	40-80 oz/10 ac	
	DALMATION TOADFLAX	E2	3 pt/ac	1 oz /1 gal	30 pt/10 ac	Apply when actively growing.
		Escort	2 oz/ac	1.5 g/ 3 gal	20 oz/10 ac	
		Telar XP	1.5-2 oz/ac	2 g/3 gal	15-20 oz/10 ac	
		Tordon (R)	2 qt/ac	4.5 oz/3 gal	20 qt/ 10 ac	
	FIELD BINDWEED	2, 4-D Amine	16 oz - 1 qt /ac	2.25 oz/3 gal	160 oz-10 qt/10 ac	Apply when actively growing. Preferably before flowering.
		E2	3 pt/ac	1 oz /1 gal	30 pt/10 ac	
		Banvel + 2,4-D Amine	1 qt Banvel +1 qt 2,4-D/ac	2.25 oz Banvel +2.25 oz 2,4-D/3 gal	10 qt Banvel + 10 qt 2,4-D/10 ac	
		Venue	3 to 4 ounces per acre	.4 ounces per 3 gallons	40 ounces/10 acres	
	HOARY CRESS (WHITETOP)	E2	3 pt/ac	1 oz /1 gal	30 pt/10 ac	Preferably before flowering, early-late spring.
		Escort	.5-1 oz/ac	1/5 tsp/1 gal	5-10 oz/10 ac	
		Banvel + 2,4-D Amine	1 qt Banvel + 1 qt 2,4-D/ac	2.25 oz Banvel + 2.25 oz 2,4-D/gal	5 qt Banvel + 5 qt 2,4-D /10 ac	

	NOXIOUS WEED	FORMULATED HERBICIDE	BROADCAST RATE/ACRE	3 GALLON BACKPACK	200 GAL/10 ACRES	TIME OF APPLICATION
	HOUNDSTONGUE	Escort	1 oz/ac	1.5 g Escort/3 gal	10 oz/10 ac	Apply during rosette stage up to flowering.
		Cimarron Plus	1-2 oz/ac	NOT APPLICABLE	10-20 oz/10 ac	
		Telar XP	1-2.6 oz/ac	2 g/3 gal	10-26 oz/10 ac	
		Tordon (R) + 2,4-D Amine	1 pt Tordon +1 qt 2,4-D/ac	1 oz Tordon +2.25 oz 2,4-D/3 gal	10 pt Tordon + 10 qt 2,4-D/ 10 ac	
	LEAFY SPURGE	E2	3 pt/ac	1 oz/1 gal	30 pt/10 ac	Apply at true flower stage or Fall regrowth.
		Venue	4 ounces per acres	.4 ounces per 3 gallons	40 ounces per 10 acres	
		Tordon (R) + 2,4-D Amine	1 qt Tordon + 1 qt 2,4-D/1 ac	2.25 oz Tordon + 2.25 oz 2,4-D/3 gal	10 qt Tordon + 10 qt 2,4-D /10 ac	
	OXEYE DAISY	E2	3 pt/ac	1 oz/1 gal	30 pt/10 ac	Apply when actively growing.
		Escort	1 oz/ac	1.5 g/3 gal	10 oz/10 ac	
		Milestone	4-6 oz/ac	.5 oz/3 gal	40-60 oz/10 ac	
		Tordon (R) + 2,4-D Amine	1 pt Tordon +1 qt 2,4-D/ac	1 oz Tordon + 2.25 oz 2,4-D/3 gal	10 pt Tordon + 10 qt 2,4-D/10 ac	
	POISON HEMLOCK	Streamline	4.75-9.5 oz/ac	.95-1.9 oz/5 gal	47.5-95 oz/10 ac	Actively growing or during fall regrowth.
		2,4-D Ester + Dicamba	32 oz 2,4-D + 8 oz Dicamba/ac	2-3 oz 2,4-D + 2.25 oz Dicamba/3 gal	230 oz 2,4-D+80 oz Dicamba/10ac	
	RUSSIAN KNAPWEED	GrazonNext HL	24-34 oz/ac	SEE LABEL	240-340 oz/10 ac	Actively growing or during fall regrowth.
		Milestone	4-6 oz/ac	.5 oz/3 gal	40-60 oz/10 ac	
		Telar	2 oz/ac	2 g/3 gal	20 oz/10 ac	
		Tordon (R)	2 qt/ac	4.5 oz/3 gal	20 qt/10 ac	
	SALT CEDAR	CUT STUMP TREATMENT	Remedy Ultra + Bark Oil	25% Remedy + 75% Bark Oil		Treat stumps within 30 minutes of cutting stumps. July-October
			Arsenal	8-12 oz/ gal of water		
			Glyphosate	50-100% solution		
		BASIL BARK TREATMENT	Remedy Ultra + Bark Oil	25% Remedy + 75% Bark Oil		

	NOXIOUS WEED	FORMULATED HERBICIDE	BROADCAST RATE/ACRE	3 GALLON BACKPACK	200 GALLON SLIDE IN	TIME OF APPLICATION
	SCOTCH THISTLE	Cimarron Plus	.25 oz/ac	NOT APPLICABLE	2.5 oz/10 ac	Apply to rosette stage, preferably before flowering.
		Milestone	4-6 oz/ac	.5 oz/3 gal	40-60 oz/10 ac	
		Opensight	1.5-2.5 oz/ac	NOT APPLICABLE	15-25 oz/10 ac	
		Overdrive	4-6 oz/ac	NOT APPLICABLE	40-60 oz/10 ac	
		Streamline	4.75-9.5 oz/ac	.95-1.9 oz/5 gal	47.5-95 oz/10 ac	
		Tordon 22K	1-2 pt /ac	1-2 oz/ac	10-20 pt/10 ac	
		2, 4-D + Dicamba	32 oz 2,4-D + 16 oz Dicamba	NOT APPLICABLE	320 oz 2,4-D + 160 oz Dicamba	
	SPOTTED KNAPWEED	E2	3 pt/ac	1 oz/1 gal	30 pt/10 ac	Actively growing or during fall regrowth.
		GrazonNext HL	24-34 oz/ac	SEE LABEL	240-340 oz/ac	
		Milestone	5-7 oz/ac	.5 oz/3 gal	50-70 oz/10 ac	
		Tordon	1 pt/ac	4.5 oz /3 gal	10 pt/10 ac	
		2, 4-D Amine	2 qt/ac	2 oz /1 gal	20 qt/10 ac	
		2, 4-D Amine + Tordon (R)	1 qt 2,4-D + 1 pt Tordon/ac	2 oz 2,4-D/gal +4.5 oz Tordon /1 gal	10 qt 2,4-D + 10 pt Tordon /10 ac	
	SULFUR CINQUIFOIL	Cimarron Plus	1-2 oz/ac	NOT APPLICABLE	10-20 oz/10 ac	SEE LABEL
		E2	3 pt/ac	1 oz/1 gal	30 pt/10 ac	Actively growing.
		Escort	.5 oz/ac	1.5 g/ 3 gal	5 oz/10 ac	Recommend with Syltac
		Tordon (R) + 2,4-D Amine	1 pt Tordon +1 qt 2,4-D/ac	1 oz Tordon +2.25 oz 2,4-D/ 3 gal	10 pt Tordon + 10 qt 2,4-D/ 10 ac	SEE LABEL
	TALL BUTTERCUP	E2	3 pt/ac	1 oz/1 gal	30 pt/10 ac	Actively growing.
		Milestone	3-5 oz/ac	.5 oz/3 gal	30-50 oz/10 ac	
		Tordon (R) + 2,4-D Amine	1 pt Tordon +1 qt 2,4-D/ac	1 oz Tordon + 2.25 oz 2,4-D/3 gal	10 pt Tordon + 10 qt 2,4-D/10 ac	